





The Concept

ELEGANT SHAPES, HIGH PERFORMANCE. INNOVATIVE AND RELIABLE.

THESE ARE THE CHARACTERISTICS THAT MAKE COSMO A TRUE SENSORY EXPERIENCE FOR ENDLESS MEMORIES.

IT IS A COMBINATION OF TECHNOLOGY AND DESIGN, THANKS TO WHICH PROFESSIONALS CAN SHOW AND GIVE VALUE TO THEIR CREATIONS.

APPEAL, DISPLAYING ABILITY AND HIGH PERFORMANCE.

WITH COSMO, GTI PLATINUM INCREASES ITS STANDARDS OF QUALITY, PERFORMANCE AND DESIGN. GUARANTEEING REFRIGERATION EXCELLENCE EVEN IN EXTREME ENVIRONMENTAL CONDITIONS.



VERTICALITY AND BEAUTY

MODERNITY, TRANSPARENCY, BRIGHTNESS, FUNCTIONALITY, AND EFFICIENCY. THESE ARE THE MAIN FEATURES OF ONE OF THE MOST SOUGHT-AFTER PRODUCTS IN THE FOOD SECTOR. THE EVOLUTION OF STYLE AND DESIGN, COMBINED WITH ADVANCED TECHNOLOGY, MADE COSMO A VERTICAL DISPLAY CASE DIFFERENT FROM ALL OTHERS.





+ BRIGHT + MODERN + GREEN + COSMO



ENHANCE THE WORK OF OUR CLIENTS THANKS TO A CUSTOMISED DESIGN, THE DISPLAY FEATURE IS ENHANCED TO THE MAXIMUM, WHILE ENSURING OPTIMAL PRESERVATION OF ALL TYPES OF PRODUCTS. STYLE, LIGHTNESS, BRIGHTNESS: EVERY DETAIL OF THIS DISPLAY CASE IS DESIGNED TO MEET THE NEEDS AND ENHANCE THE WORK OF OUR CLIENTS.





COSMO





A PRODUCT ALREADY WIDELY USED IN ALL TRAVEL HUBS, FROM AIRPORTS TO PETROL STATIONS, TODAY COSMO IS A MUST-HAVE NOT ONLY IN ICE-CREAM PARLOURS OR PASTRY SHOPS, BUT IN ALL TYPES OF FOOD VENUES. OVER THE LAST FEW YEARS, IT HAS BEEN AN INDISPENSABLE ELEMENT FOR TAKE-AWAY AND DELIVERY SALES. IN ADDITION, ITS VERTICAL DISPLAY DESIGN HELPS TO TRANSFORM THE WAITING TIME IN THE SHOP INTO A PLEASANT SHOPPING EXPERIENCE.





UNPRECEDENTED EFFICIENCY AND TECHNOLOGY

THE DEVELOPMENT OF THIS VERTICAL DISPLAY CASE IS NOT ONLY BASED ON DESIGN, BUT ALSO ON TECHNOLOGY.

A NEW CONTROL PANEL, ALMOST INVISIBLE TO THE CLIENT'S EYES, BUT EASILY ACCESSIBLE AND USABLE FOR THE OPERATOR WAS INCLUDED IN THE DOOR. FEATURING "TOUCH SCREEN" TECHNOLOGY, ALLOWING THE TEMPERATURE AND LIGHTING TO BE MANAGED TOGETHER WITH FOOD PRESERVATION SETTINGS IN JUST A FEW STEPS. DUAL TEPERATURE SOLUTIONS LET YOU DECIDE WHAT PRODUCTS TO DISPLAY. CASE CAN BE SET AT +4C OR GO AS LOW AS -20C



COSMO

700 SINGLE/DOUBLE













COSMO 700 IS AVAILABLE IN THE SINGLE VERSION (ONE DOOR) IN ALL THE TECHNOLOGIES IN THE RANGE. THE DOUBLE 700 VERSION IS AVAILABLE ONLY FOR THE MODELS STATIC LOW TEMPERATURE AND NO FROST.

COSMO


SINGLE/DOUBLE











aria R290



COSMO EXPANDS AND BECOMES TWO. THE SINGLE-DOOR VERSION IS JOINED BY THE DOUBLE-DOOR VERSION, MAKING IT A MUST FOR ANY FOOD VENUE. GREATER ACCESSIBILITY, THE DOUBLE COSMO BECOMES THE IDEAL SOLUTION FOR ANY F&B VENUE, FOR ALL FOOD AND BEVERAGES AND FOR ANY REQUIREMENT. ORDER, HARMONY AND BEAUTY: WITH COSMO THE UNIVERSE OF YOUR CREATIONS WILL BE THE BEST PLACE EVER.








COSMO

700 SINGLE/DOUBLE












BT -18°/-20°

STATIC POSITIVE TEMPERATURE






 $\mathbf{A}^{\mathbf{C}}$

BT -18°/-20°

STATIC POSITIVE

TEMPERATURE



REFRIGERATING SYSTEM


-In-built air-cooled condensing unit (R290 Gasl). -Evaporator placed under top roof equipped with lower guard. -Automatic hot-gas defrosting in models. -Available with n.6 grids and glass shelves

900 SINGLE/DOUBLE

+T+S +4°/+6° STATIC POSITIVE TEMPERATURE

 $+^{c}$ T+V +4°/-20° DUAL TEMPERATURE VENTILATED POSITIVE + MINUS TEMPERATURE STANDARD





REFRIGERATING SYSTEM

-In-built air-cooled condensing unit (R290 gas). -Static evaporator under roof for positive temperature model with automatic defrosting mode. -Available with N.6 glass shelves.

REFRIGERATING SYSTEM

-In-built air-cooled condensing unit (R290 Gas). -Evaporator placed under top roof equipped with lower guard. -Available with n. 6 grids

(optional glass shelves)

-In-built air-cooled condensing unit (R290).

-Fixed static evaporating shelves for negative temperature model with manual defrosting mode. -Available with n.5 grids and glass shelves


REFRIGERATING SYSTEM

REFRIGERATING SYSTEM -In-built air-cooled condensing unit (R290 Gas). -Evaporator placed under top roof equipped with lower guard. -Available with n.6 grids (optional glass shelves)




 $[\underline{\mathsf{X}}]^{\otimes}$ BT -18°/-20° STATIC NEGATIVE TEMPERATURE





[X]BT -18°/-20° T STATIC POSITIVE TEMPERATURE





REFRIGERATING SYSTEM -In-built air-cooled condensing unit (R290 Gasl). -Evaporator placed under top roof equipped with lower guard. -Automatic hot-gas defrosting in models. -Available with n.6 grids and glass shelves

REFRIGERATING SYSTEM -In-built air-cooled condensing unit (R290 Gas). -Evaporator placed under top roof equipped with lower guard. -Available with n.6 grids (optional glass shelves)

REFRIGERATING SYSTEM -In-built air-cooled condensing unit (R290). -Fixed static evaporating shelves for negative temperature model with manual defrosting mode. -Available with n.5 grids and glass shelves

