



Futuro

the retailer's choice

gti **DESIGNS**



Futuro multidecks

For Stores Both Small and Large

The new FUTURO 2 multidecks come in different lengths and two depths, 93 cm and 73 cm, to maximize every store inch.

Available in two versions, for remote condensing unit installation or a plug-in for easy and quick installation, making it an ideal partner for any modern retail format.



plug-in

Perfect look!


Perfect alignment between hot and cold food models.




remote condensing unit

Futuro Multideck/Technical Specifications

1. Refrigerated with Standard Doors




MF2 900P C CG CPLC
Self-Contained




MF2 900P C SG CPLC
Remote

2. Refrigerated with Full Vision Doors




MF2 900P C CG FV
Self-Contained




MF2 900P C SG FV
Remote

3. Refrigerated with Night Blinds




MF2 900P L CG CC
Self-Contained




MF2 900P L SG CC
Remote

4. Fresh Produce with Night Blinds




MF2 900P F CG CC
Self-Contained




MF2 900P F SG CC
Remote

5. Frozen with Standard Doors




MF2 900 N CG LC
Self-Contained




MF2 900 N SG LC
Remote

6. Frozen with Full Vision Doors



MF2 900 N CG FV
Self-Contained



MF2 900 N SG FV
Remote

DISPLAY CASES

* Add 4" for Height on Remote Models (SG)
* Electrical requirements for Self-Contained

Type	Model	Width	Depth	Height *	Electrical Requirements *
1 & 2 Refrigerated (with doors)	LC = Standard doors FV = Full Vision doors				
	MF2 900P C CG CP LC-1250	50" (1250mm)	37" (930mm)	82.5" (2085mm)	220V/1Phase/60hz/5Amp
	MF2 900P C CG CP LC-1875	74" (1875mm)	37" (930mm)	82.5" (2085mm)	220V/1Phase/60hz/5Amp
	MF2 900P C CG CP LC-2500	98.5" (2500mm)	37" (930mm)	82.5" (2085mm)	220V/1Phase/60hz/5Amp
	MF2 900P C CG CP LC-3750	148" (3750mm)	37" (930mm)	82.5" (2085mm)	220V/1Phase/60hz/5Amp
	MF2 900P C CG CP FV-937	37" (937mm)	37" (930mm)	82.5" (2085mm)	220V/1Phase/60hz/5Amp
	MF2 900P C CG CP FV-1250	49.5" (1250mm)	37" (930mm)	82.5" (2085mm)	220V/1Phase/60hz/5Amp
	MF2 900P C CG CP FV-1875	74" (1875mm)	37" (930mm)	82.5" (2085mm)	220V/1Phase/60hz/5Amp
3 Refrigerated (without doors)	MF2 900P C CG CP FV-2500	95" (2500mm)	37" (930mm)	82.5" (2085mm)	220V/1Phase/60hz/10Amp
	MF2 900P C CG CP FV-3750	148" (3750mm)	37" (930mm)	82.5" (2085mm)	220V/1Phase/60hz/10Amp
	CC = Night blinds, NO doors				
	MF2 900P L CG CC-1250	50" (1250mm)	37" (930mm)	82.5" (2085mm)	220V/1Phase/60hz/10Amp
4 Fresh Produce	MF2 900P L CG CC-1875	74" (1875mm)	37" (930mm)	82.5" (2085mm)	220V/1Phase/60hz/10Amp
	MF2 900P L CG CC-2500	98.5" (2500mm)	37" (930mm)	82.5" (2085mm)	220V/1Phase/60hz/15Amp
	MF2 900P L CG CC-3750	148" (3750mm)	37" (930mm)	82.5" (2085mm)	220V/1Phase/60hz/20Amp
	MF2 900P F CG CC-1250	50" (1250mm)	37" (930mm)	82.5" (2085mm)	220V/1Phase/60hz/10Amp
5 & 6 Frozen	MF2 900P F CG CC-1875	74" (1875mm)	37" (930mm)	82.5" (2085mm)	220V/1Phase/60hz/10Amp
	MF2 900P F CG CC-2500	98.5" (2500mm)	37" (930mm)	82.5" (2085mm)	220V/1Phase/60hz/15Amp
	MF2 900P F CG CC-3750	148" (3750mm)	37" (930mm)	82.5" (2085mm)	220V/1Phase/60hz/20Amp
	LC = Standard doors FV = Full Vision doors				
	MF2 900 N CG CP LC-1562	62" (1562mm)	37" (930mm)	82.5" (2085mm)	220V/1Phase/60hz/10Amp
	MF2 900P N CG LC-2343	92.5" (2343mm)	37" (930mm)	82.5" (2085mm)	220V/1Phase/60hz/15Amp
5 & 6 Frozen	MF2 900P N CG LC-3124	123" (3124mm)	37" (930mm)	82.5" (2085mm)	220V/1Phase/60hz/20Amp
	MF2 900 N CG CP FV-1562	62" (1562mm)	37" (930mm)	82.5" (2085mm)	220V/1Phase/60hz/15Amp
5 & 6 Frozen	MF2 900P N CG FV-2343	92.5" (2343mm)	37" (930mm)	82.5" (2085mm)	220V/1Phase/60hz/20Amp
	MF2 900P N CG FV-3124	123" (3124mm)	37" (930mm)	82.5" (2085mm)	220V/1Phase/60hz/25Amp


*E=Energy Efficient




35 Trade Zone Court
Phone 631.981.2100

▪ Ronkonkoma, NY 11779
▪ Fax 631.981.3509


▪ www.gtidesigns.com
▪ CustomerService@gtidesigns.com




MF2 700 P CP LC
3M1/3M2
chilled food




MF2 700 P CC
3M1/3M2
chilled food




MF2 700 P CP LC
3M1/3M2
chilled food




MF2 700 F CC
3H1
fruits & vegetables
fresh produce




MF2 700 N CP LC
3L1
frozen food




MF2 700 N CP FV
3L1
frozen food




MF2 700 P CP FV
3M1/3M2
chilled food




MF2 700 P CC
3M1/3M2
chilled food
MF2 900P C CG CP LC-1250E




MF2 700 P CP FV
3M1/3M2
chilled food



MF2 700 F CC
3H1
fresh produce
fruits & vegetables



MF2 700 N CP LC
3L1
frozen food



MF2 700 N CP FV
3L1
frozen food

DISPLAY CASES

Type	Model	Width	Depth	Height	Electrical Requirements
Refrigerated (with doors)	MF2 700P C CG CP LC-1250E	50" (1250mm)	29" (730mm)	82.5" (2085mm)	220V/1Phase/60hz/5Amp
	MF2 700P C CG CP LC-1875E	74" (1875mm)	29" (730mm)	82.5" (2085mm)	220V/1Phase/60hz/5Amp
	MF2 700P C CG CP LC-2500E	98.5" (2500mm)	29" (730mm)	82.5" (2085mm)	220V/1Phase/60hz/5Amp
	MF2 700P C CG CP LC-3750E	148" (3750mm)	29" (730mm)	82.5" (2085mm)	220V/1Phase/60hz/5Amp
	MF2 700P C CG CP LC-936	37" (937mm)	29" (730mm)	86.5" (2185mm)	220V/1Phase/60hz/5Amp
	MF2 700P C CG CP LC-1250	49.5" (1250mm)	29" (730mm)	86.5" (2185mm)	220V/1Phase/60hz/5Amp
	MF2 700P C CG CP LC-1875	74" (1875mm)	29" (730mm)	86.5" (2185mm)	220V/1Phase/60hz/5Amp
	MF2 700P C CG CP LC-2500	95" (2500mm)	29" (730mm)	86.5" (2185mm)	220V/1Phase/60hz/10Amp
	MF2 700P C CG CP LC-3750	148" (3750mm)	29" (730mm)	86.5" (2185mm)	220V/1Phase/60hz/10Amp
Refrigerated (without doors)	MF2 700P L CG CC-1250	50" (1250mm)	29" (730mm)	82.5" (2085mm)	220V/1Phase/60hz/10Amp
	MF2 700P L CG CC-1875	74" (1875mm)	29" (730mm)	82.5" (2085mm)	220V/1Phase/60hz/30Amp
	MF2 700P L CG CC-2050	98.5" (2500mm)	29" (730mm)	86.5" (2185mm)	220V/1Phase/60hz/20Amp
	MF2 700P L CG CC-3750	148" (3750mm)	29" (730mm)	86.5" (2185mm)	220V/1Phase/60hz/26Amp
Fresh Produce	MF2 700P F CG CC-1250	50" (1250mm)	29" (730mm)	82.5" (2085mm)	220V/1Phase/60hz/10Amp
	MF2 700P F CG CC-1875	74" (1875mm)	29" (730mm)	82.5" (2085mm)	220V/1Phase/60hz/10Amp
	MF2 700P F CG CC-2500	98.5" (2500mm)	29" (730mm)	86.5" (2185mm)	220V/1Phase/60hz/15Amp
	MF2 700P F CG CC-3750	148" (3750mm)	29" (730mm)	86.5" (2185mm)	220V/1Phase/60hz/20Amp
Frozen	MF2 700P N CG CP LC-1562E	62" (1562mm)	29" (730mm)	82.5" (2085mm)	220V/1Phase/60hz/10Amp
	MF2 700P N CG CP LC-2343E	92.5" (2343mm)	29" (730mm)	82.5" (2085mm)	220V/1Phase/60hz/15Amp
	MF2 700P N CG CP LC-3124	123" (3124mm)	29" (730mm)	82.5" (2085mm)	220V/1Phase/60hz/20Amp
	MF2 700P N CG CP LC-1562	62" (1562mm)	29" (730mm)	86.5" (2185mm)	220V/1Phase/60hz/15Amp
	MF2 700P N CG CP LC-2343	92.5" (2343mm)	29" (730mm)	86.5" (2185mm)	220V/1Phase/60hz/20Amp
	MF2 700P N CG CP LC-3124	123" (3124mm)	29" (730mm)	86.5" (2185mm)	220V/1Phase/60hz/25Amp

*E=Energy Efficient



"Set Your Self Apart"

www.gtidesigns.com | 1-800-896-4484 | CustomerService@Gtidesigns.com