



## **MAXIMUM VISIBILITY**

A large display area that offers perfect visibility, excellent product promotion





# LED lighting that brings out the natural colours of the products

- Optimised lamp location and angle
- The correct colour for every product
- Low energy consumption
- √ 4000 K colour | 4000 K meat NEW


## **MAXIMUM VISIBILITY**

A large display area that offers perfect visibility, excellent product promotion



Curved front glass: on request and on quotation

2 styles, 2 front glass options: flat (VPV) and curved (VC) with LED illumination on the upper glass shelf



## **MAXIMUM VISIBILITY**

A large display area that offers perfect visibility, excellent product promotion



2 styles, 2 front glass options:
flat (VPV) and curved (VC) with
LED illumination on the upper
glass shelf

.,/ Intermediate glass shelf with LED lighting to cross-sell nonrefrigerated products (Shelf optional, and MUST be specified in order)


## **MAXIMUM VISIBILITY**

A large display area that offers perfect visibility, excellent product promotion



- 2 styles, 2 front glass options: flat (VPV) and curved (VC) with LED illumination on the upper glass shelf
- Intermediate glass shelf with LED lighting to cross\_sell non\_refrigerated products (Shelf optional, and MUST be specified in order)
- ✓ Front glass with anticondensation system
- ✓ Large double glazed side






# HIGH PERFORMANCE & TECHNOLOGY

- Front glass with ventilated anti-condensation system with very low power consumption
- Double-glazed end side panels
- Service area with sliding acrylic doors Curtain option, not available for corners.

## **CARE & HYGIENE**

Quick and uncomplicated!



## **CARE & HYGIENE**

Quick and uncomplicated!

- Stainless steel interior and exterior vat
- ✓ Stainless steel worktop
- Wide front glass opening for easy front access, display case and corners.
- Easy to remove display trays, for effective cleaning of the vat.
- Easy to remove condenser access cover, magnetic, no screws, no tools.



## **ERGONOMICS AND SERVICE**

Efficient and ergonomic worktop.


Easy access to the display area and the refrigerated understorage

#### Options:

Intermediate shelf
Gradins
Castor wheel kit
Acrylic product dividers
Bag-holder
Roller-shaped shelves
Knife-holder

---





### REFRIGERATED DISPLAY CASES WITH UNDERSTORAGE M1


dimensions without end side panels

built-in condenser unit R290

937 | 1250 | 1562 | 1875 | 2500 mm

remote condenser unit

937 | 1250 | 1562 | 1875 | 2500 | 3125 | 3750 mm



# REFRIGERATED DISPLAY CASES WITHOUT UNDERSTORAGE M1

dimensions without end side panels


built-in condenser unit R290

937 | 1250 | 1562 | 1875 | 2500 mm

remote condenser unit

937 | 1250 | 1562 | 1875 | 2500 | 3125 | 3750 mm





### REFRIGERATED DISPLAY CASES WITH UNDERSTORAGE M1


dimensions without end side panels

built-in condenser unit R290

937 | 1250 | 1562 | 1875 | 2500 mm

remote condenser unit

937 | 1250 | 1562 | 1875 | 2500 | 3125 | 3750 mm



# REFRIGERATED DISPLAY CASES WITHOUT UNDERSTORAGE M1

dimensions without end side panels

built-in condenser unit R290

937 | 1250 | 1562 | 1875 | 2500 mm

remote condenser unit

937 | 1250 | 1562 | 1875 | 2500 | 3125 | 3750 mm

#### Note:

New models soon...

Cold plate Saladette Heated ventilated Bain-marie Hot plate









For: Bag-holder Roller Holders Knife Holders

---

### **REFRIGERATED CORNERS M1**


built-in condenser unit R290 CIR45° | CIR90°








### REFRIGERATED CORNERS M1

remote condenser unit CER45\* | CER90\* | CIR45\* | CIR90\*













### **COUNTER 1N**


dimensions without end side panels


#### modules


625 | 937 | 1250 mm


#### corners

CER45\* | CER90\* | CIR45\* | CIR90\*











#### **COUNTER PMR**


dimensions without end side panels


#### modules


625 | 937 | 1250 mm


#### corners


CER45° | CER90° | CIR45° | CIR90°













# EASY INSTALLATION

Perfect linears in a quick way

