

# EDEN

PASTRY | DESSERTS | BAKERY | PREPARED FOODS | BEVERAGES



Project: \_\_\_\_\_ Item #: \_\_\_\_\_

Location: \_\_\_\_\_ Approved: \_\_\_\_\_

**631-981-2100**

## Display Case

### Standard Features:

- Great entry-level display for pastry, desserts, bakery, prepared foods and beverages
- Available in multiple sizes for perfect space planning
- Heated front glass for no condensation
- Automatic defrosting system
- Self-contained - with condensation pan (no floor drain required)
- Electronic control panel
- Rear sliding doors
- LED lighting on each shelf to enhance presentation
- Stainless steel interior
- White exterior, RAL 9003
- Adjustable equipment legs and heavy duty casters



### Optional Accessories:

- Paint exterior panels, customer choice of RAL color




# EDEN

REFRIGERATED DISPLAY CASE



## Top View




EDEN 9


EDEN 10

EDEN 12

EDEN 15




EDEN 18





EDEN 20

## Side View




## Rear View



1. (2) Rear plexi sliding doors for 9,10,12 (3) for 15,18,20
2. Power switch
3. Digital control
4. Light switch

## Technical Specifications & Electrical Requirements

Model #	Dimensions W x D x H (In.)	Net Wt. (Lbs.)	Amps.	HP	Nema Plug	Capacity (Cu. Ft.)
EDEN 9	35.5" x 29.25" x 51.25"	375	8.8	4/5	5-15P	4.24
EDEN 10	39.25" x 29.25" x 51.25"	419	9	5/6	5-15P	4.94
EDEN 12	47.25" x 29.25" x 51.25"	463	9.5	5/6	5-15P	6.18
EDEN 15	59.25" x 29.25" x 51.25"	507	10	5/6	5-15P	7.77
EDEN 18	71" x 29.25" x 51.25"	617	13.8	1 2/5	5-20P	9.89
EDEN 20	79" x 29.25" x 51.25"	706	14	1 2/5	5-20P	10.95



**Important Notes:** Performance issues (product temperatures, water on floor, etc.) caused by adverse conditions are not covered by warranty. Keep unit at least 15' from exterior doors, overhead HVAC vents, or any air curtain disruption. Do not expose unit to direct sunlight or any heat source (ovens, fryers, etc.). Tile floors, low ceilings, or small rooms will increase noise level. Compressor air lower front intake. Front panel cannot be blocked.

All technical data, pictures and drawings contained in this document are not binding on the manufacturer, nor can the manufacturer be held liable for any modification of the machine, in part or in whole.