

gti

DESIGNS

Lexus Series

Blast Freezer | Blast Chiller




When Every Second Counts

In a professional kitchen, every second counts. Rapid chilling allows you to preserve raw ingredients and prepared foods of all types.

Saving you time and providing precision and control to your kitchen.


Lexus Series Features:

- Combination Blast Freezer/Blast Chiller
- Digital Control Panel
- Compact Size
- Self Closing Door with Magnetic Gasket
- Shelving
- Temperature Probe
- Heavy Duty Casters




Technical Specifications


TD03




TD06





TD12



TD15




TD 20




Interior Width and Depth (All Models)

Technical Specifications


Gelato




TD03




TD06



TD12



TD15



TD20

LEXUS SERIES BLAST FREEZER - Technical Specifications



Accessories:

Temperature Control Probe
(Standard)



Castor Wheels
(Standard)



Shelving
(Standard)



Adjustable Feet Add 2.5-3.5 Inches to Height*

LEXUS BLAST FREEZER/ BLAST CHILLER - TECHNICAL SPECIFICATIONS

Type	Model	Temp. Range	# of Shelves	# of 5L Gelato Pan Reserve	Width	Height	Depths	Electrical Requirements
Digital	TD03D	-0.4/-40° F	1	3	29.5" (750mm)	29.5" (750mm)	29" (740mm)	220V/1Phase/60Hz/5Amps
	TD06D	-0.4/-40° F	5	6	29.5" (750mm)	34.25" (870mm)	29" (740mm)	220V/1Phase/60Hz/8Amps
	TD12D	-0.4/-40° F	10	12	29.5" (750mm)	51.25" (1300mm)	29" (740mm)	220V/1Phase/60Hz/10Amps
	TD15D	-0.4/-40° F	15	21	29.5" (750mm)	51.25" (1300mm)	29" (740mm)	400V/3Phase/60Hz/10Amps
	TD20D	-0.4/-40° F	20	27	29.5" (750mm)	51.25" (1300mm)	29" (740mm)	400V/3Phase/60Hz/10Amps

All technical data, pictures and drawings contained in this document are not binding on the manufacturer, nor can the manufacturer be held liable for any modification of the machine, in part or in whole.



35 Trade Zone Court ▪ Ronkonkoma, NY 11779 ▪ www.gtidesigns.com
 Phone 631.981.2100 ▪ Fax 631.981.3509 ▪ CustomerService@gtidesigns.com